

## OWNER'S MANUAL FOR STEARNS® INFLATABLE KAYAK

# YUKATAT<sup>™</sup> (B523)

## **IMPORTANT!**

BEFORE PROCEEDING READ THIS MANUAL CAREFULLY (CONTAINS IMPORTANT SAFETY INFORMATION, AS WELL AS CARE AND MAINTENANCE)

> Yukatat<sup>™</sup> (B523)

Stearns<sup>®</sup> Inc. St. Cloud, Minnesota 56302 U.S.A. Phone: (320) 252-1642 or 1-800-697-5801 Fax: (320) 252-4425 www.stearnsinc.com Note: If your state requires this document for licensing your boat, please contact Stearns<sup>®</sup> Customer Service Department for completion, or more information.

### MANUFACTURER'S CERTIFICATE OF ORIGIN FOR A VESSEL

|   |  | e new boat described below, the ay of, 2 |             |
|---|--|--|-------------|
| Invoice #   | _ to:  | -  |             |
| Owner's/Dealer's N  | lame   |  |             |
| Address   |  |  |             |
| City, State, Zip  | Model Year   | Manufacturar'a Liuli Idant               | ification # |
| Model Name<br>□ <u>Yukatat<sup>™</sup> (B523)</u>                       |  | Manufacturer's Hull Ident<br>HIN #       |             |
| Type: <u>Kayak</u><br>Length Overall:<br>Built for: <u>Pleasure Use</u> | Hull Material:<br>Beam:  |  |             |
|   | Plate Information (where a apacity in whole persons _ apacity (persons & gear) |  |             |
| The manufacturer further o  | ertifies that this was the first   | transfer of such new boat and            | that all    |

information given herein is true and accurate to the best of their knowledge



Signature

#### FIRST ASSIGNMENT

| FOR VALUE RECEIVED. | , in the | amount of | i\$ |
|---------------------|----------|-----------|-----|
|---------------------|----------|-----------|-----|

| the u | Indersigned | hereby | transfers | the Ce | ertificate | of Origin | and the | boat | describe | d there | in |
|-------|-------------|--------|-----------|--------|------------|-----------|---------|------|----------|---------|----|
| to    |             |        |           |        |            |           |         |      |          |         |    |

Address \_

| and certifies t | hat the boa  | at is new and | has not been regist     | tered in this or ar | ny other state; Stearns® also |
|-----------------|--------------|---------------|-------------------------|---------------------|-------------------------------|
| warrants the t  | itle of said | boat at time  | of delivery, subject of | only to the liens a | and encumbrances as set       |
| out below:      |              |               |                         |                     |                               |
| Amount of Lic   |              | to T          | o Whom Duo              | Addroop             |                               |

| Amount of Lien Date To whom Du |            | to whom Due                 | Address                                  |
|--------------------------------|------------|-----------------------------|--|
| Dates                          |            | 20, at                      |  |
|                                |            | y:                          |  |
| Transferrer (Firm              | name) Sigr | Here                        | Position                                 |
|                                |            |                             | who by me being duly sworn under         |
| oath says the stat             | ements set | forth above are true and co | rrect. Subscribed and sworn to me before |
| this day                       | / of       |                             | _ 20                                     |
|                                |            | Notary Public               | Date commission expires                  |

(SEAL)

## OWNER'S MANUAL FOR STEARNS® INFLATABLE KAYAK TABLE OF CONTENTS

| Declaration of Conformity                               | 2  |
|---|----|
| 1. Introduction   | 3  |
| 2. Warranty   | 3  |
| 2.1 Modifications                                       | 3  |
| 3. Boating Safety                                       | 4  |
| 3.1 Boating Regulations                                 | 5  |
| 3.1.1 Boating Safety Labels                             | 5  |
| 3.1.2 Registration                                      | 5  |
| 3.1.3 Education   | 5  |
| 3.2 Responsibilities of the Operator(s)                 | 6  |
| 3.3 Restricted Areas                                    | 6  |
| 4. Specifications                                       | 7  |
| 4.1 Capacity  | 7  |
| 4.2 Features  |    |
| 5. Preparing Your Stearns <sup>®</sup> Inflatable Kayak |    |
| 5.1 Quick Start to Inflating Your Boat                  |    |
| 5.2 Knowing Your Valves                                 |    |
| 5.3 Make Sure Bladders Are Aligned                      |    |
| 5.4 Over Inflation                                      |    |
| 6. Underway   |    |
| 6.1 Before You Start                                    |    |
| 6.2 Transporting, Carrying, and Towing                  |    |
| 6.3 Care and Maintenance                                |    |
| 6.4 Folding   |    |
| 7. Repairs  |    |
| 7.1 Repairing Small Punctures and Cuts                  |    |
| 7.2 Repairing Pinholes                                  |    |
| 7.3 Seam Openings                                       |    |
| 8. Troubleshooting                                      |    |
| 9. Limited Warranty                                     | 16 |
| Staarpa® Warranty Pagistration                          | 17 |
| Stearns® Warranty Registration                          | 17 |

# Declaration of Conformity (according to ISO/IEC Guide 22 and EN 45014)

Manufacturer's Name: Stearns Inc.

Manufacturer's Address: P. O. Box 1498 St. Cloud, MN 56302

declares, that the product:

Product Name: Yukatat<sup>™</sup> Model Number(s): B523

to which this declaration relates. meets the essential health and safety requirements and is in conformity with the relevant EU Directives listed below.

General Product Safety Directive

using the relevant section of the following EU standards and other normative documents:

> EN / ISO 6185-1 : 2002 ABYC H28-76

Date: 01/09/04

Paul J. Ebut

Paul Ebnet, President

This product complies with European directives for recreational vessels as published by the International Organization for Standardization (ISO).

## **1. INTRODUCTION**

This manual has been compiled to help you operate your craft with safety and pleasure. It contains details of the craft, the equipment supplied or fitted, its systems, and information on its operation and maintenance. Please read it carefully, and familiarize yourself with the craft before using it.

If this is your first craft, or you are changing to a type of craft you are not familiar with, for your own comfort and safety, please ensure that you obtain handling and operating experience before assuming command of the craft.

PLEASE KEEP THIS MANUAL IN A SECURE PLACE, AND PASS IT ON TO THE NEW OWNER IF YOU SELL THE CRAFT.

## 2. WARRANTY

Complete and return the Warranty Registration form found on the back page of this Owner's Manual.

## 2.1 MODIFICATIONS

Because of the possibility of interference with the factory design integrity of the kayak, owner modifications to the kayak are not recommended.

Unauthorized modifications to the kayak could compromise safety, design integrity or warranty coverage.

## **3. BOATING SAFETY**

This is the safety alert symbol. It is used to alert you to potential personal injury hazards. Obey all safety messages that follow this symbol to avoid possible injury or death.

# A DANGER A

Indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury or substantial property damage.

## A WARNING

Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury or property damage.

# **A** CAUTION

Indicates a potentially hazardous situation which, if not avoided, may result in property damage.

# CAUTION

Used without the safety alert symbol indicates a potentially hazardous situation which, if not avoided, may result in property damage.

## NOTICE

Indicates installation, operation or maintenance information which is important but not hazard-related.

The precautions listed in this manual and on the craft are not all-inclusive. If a procedure, method, tool or part is not specifically recommended, you must satisfy yourself that it is safe for you and others, and that the craft will not be damaged or made unsafe as a result of your decision. REMEMBER - always use common sense when paddling YOUR KAYAK!

## 3.1 Boating Regulations

The U.S. Coast Guard is the authority of the waterways; they are there to help the boating public. State boating regulations are enforced by local authorities. You are subject to marine traffic laws and "Rules of the Road" for both federal and state waterways; you must stop if signaled to do so by enforcement officers.

There are many pamphlets, prepared by the Coast Guard, available to you. These pamphlets explain "Rules of the Road," signal lights, buoys, safety equipment, international and inland regulations and much more than is presented in this manual. For more information contact your local U.S. Coast Guard Unit or call the Coast Guard Customer Info line at 1-800-368-5647.

### 3.1.1 Boat Safety Labels

Your kayak is affixed with various safety labels at the time of manufacture. These labels appear at specific locations on the craft where safety is of particular concern. Safety labels must remain legible and should not be removed. If you suspect a label is missing or one becomes damaged, contact STEARNS® at 320-252-1642 or 1-800-697-5801.

## 3.1.2 Registration

The U.S. Coast Guard requires that all power boats operated on the navigable waters of the United States must be registered in the state of main use; also, many States require registration in that state whenever boating on waters within their state boundary. Always contact your state boating authorities (and neighboring states) for registration information on boats.

Once you have been issued a number, it is best to affix it on the boat by printing it on the material with a permanent ink marker.

## 3.1.3 Education

This manual is not intended to provide complete training on all aspects of boat operation. We strongly recommend that all operators of this boat seek additional training on boat handling and safety, and provide safety training for all passengers.

## 3.2 RESPONSIBILITIES OF THE OPERATOR(S)

#### IMPORTANT

Users of this product agree by their use to accept the inherent risks involved in this water sports activity and agree to follow all instructions, DANGERS, CAUTIONS, and WARNINGS carefully before using their STEARNS® kayaks.

- READ OWNER'S MANUAL: Improper Use May Cause Injury or Death. Pay close attention to items marked "DANGER," "WARNING," "CAUTION" or "NEVER."
- Use the kayak in a SAFE and SOBER manner, taking all reasonable precautions.
- Each passenger MUST Wear an approved personal flotation device (PFD). All safety equipment & PFDs must be in good condition and suitable for your kayak and passenger use.
- THIS KAYAK IS NOT A PERSONAL FLOTATION DEVICE.
- Follow all inflation and care instructions.
- BE AWARE of local boating regulations and follow them.
- BE AWARE of your environment, water currents, tides, weather, traffic and other potential hazards in the water and surroundings.
- DO NOT use this kayak UNDER the INFLUENCE of DRUGS or ALCOHOL.
- DO NOT use this kayak if you suspect a tear or hole. IT MAY BE UNSAFE.
- USE CAUTION when entering or exiting the kayak. Keep your weight centered and distribute the weight of the gear and passengers evenly.
- DO NOT allow children to use this kayak without the supervision of an adult or someone who is experienced in its safe use.
- DO NOT tow this kayak.
- Seek shelter from open water if there is threat of lightning.

## **3.3 RESTRICTED AREAS**

Before kayaking, check with Local, State and Federal authorities to identify restricted areas. Because of the threat of terrorism, the U.S. Coast Guard has and will continue to implement strict limits on watercraft near U.S. Navy and Coast Guard ships and other potential targets.

## 4. SPECIFICATIONS

| Dimensions:   | Yukatat <sup>™</sup> (B523)<br>Length - 10' 4" (315 cm)<br>Beam - 33" (84 cm) |
|---|---|
| Dry Weight:<br>Max. Persons Capacity:                     | 31 (14 kg)<br>1 person  |
| Max. Persons & Gear Capacity:                             | 285 lbs (129 kg)  |
| Recommended Pressure:<br>Main chambers:<br>Floor chamber: | 1.75 psi (0.12 bar)<br>1.0 psi (0.07 bar)                                     |

#### 4.1 CAPACITY

The person/load capacity is determined by the availability of proper seating on the kayak. Acceptable seating determines the number of passengers, not the overall load capacity.

#### Yukatat<sup>™</sup> capacity label






Do not exceed the certified maximum capacities under any circumstances. Overloading will reduce freeboard and increase the likelihood of swamping, especially in heavy seas. Overloading causes handling to become sluggish, making it difficult to react quickly.

## 4.2 FEATURES

#### Yukatat™



- 1. Main chamber valves
- 2. Carrying / grab handles
- 3. Floor valve
- 4. Knuckle abrasion guards
- 5. Tie down cords
- 6. Mesh pocket

- 7. Chamber access zippers
- 8. Bow and stern access zippers
- 9. Mesh pocket
- 10. Bow and stern rigid stems
- 11. Spray deck chambers
- 12. Seat

## 5. PREPARING YOUR STEARNS® INFLATABLE KAYAK

The STEARNS<sup>®</sup> Inflatable Kayak is designed for recreational use and can be used in a number of settings. Every usage has its own set of required skill levels and dangers. Be sure you are prepared for each use before attempting it and you understand the inherent dangers.

#### Inflation Setup

Use a STEARNS<sup>®</sup> "bellows" style foot pump (Model B502) or equivalent pump to inflate your boat. Use caution not to over inflate your boat. (Pump not included)

For proper inflation and safety, the user must make sure that the wall inflation valves are sealed properly.

# A WARNING

NEVER USE COMPRESSORS, CO<sub>2</sub> OR COMPRESSED AIR. DO NOT OVER-INFLATE THE FLOOR OR THE SIDE CHAMBERS.

## 5.1 QUICK START TO INFLATING YOUR KAYAK

Follow the steps listed below. Damage to chambers can occur if these steps are not followed. For more information on inflation see page 11.


- 1. Unfold and lay out kayak on flat, level ground
- 2. Floor should be positioned inside Hull

#### DO NOT OVER INFLATE FLOOR CHAMBER beyond 1.0 psi (0.07 bar)

3. First inflate the floor chamber until chamber feels semi-firm.


### DO NOT OVER INFLATE MAIN CHAMBERS beyond 1.75 psi (0.12 bar)

- 4. Partially inflate the **inner** chamber (inside chamber closest to the seating area). Refer to page 10 for valve operation.
- 5. Partially inflate the **outer** chamber, until the cover shape begins to fill out. The kayak should feel soft or limp at this point.
- 6. Make sure the 2 air valves are aligned with the cover. Adjust cover if necessary.
- 7. Next add air to each chamber until most of the wrinkles are gone and the kayak feels firm to the touch.
- 8. Inflate spray ring and spray deck chambers orally or with a pump.
- 9. Make sure all air valves are closed and screwed down tightly.



### **5.2 KNOWING YOUR VALVES**

Yukatat<sup>™</sup> kayak uses three types of valves. Type I (Type II, is a smaller version) to inflate floor and main chambers. Type IV is used to fill small chambers such as spray rings and spray deck lifters.



#### 5.3 MAKE SURE:

- 1. Air chamber valves are centered with the inflation valve cover
- 2. Upper and lower weld seams of the air chambers are running parallel with the cover and centered all around
- If the air chambers are not aligned or centered:
  - A. Relieve air pressure
  - B. Unzip the cover
  - C. Partially inflate
  - D. Realign air chambers, zip cover and inflate chambers
- 3. All valves are closed tightly
- 4. Bow and stern frame assembly are aligned

### 5.4 OVER INFLATION

## CAUTION

Do not over-inflate the kayak. Over-inflation is the primary cause of leaks. Inflate the kayak until most of the wrinkles in the fabric are gone and it feels firm to the touch, but do not exceed 1.75 psi (0.12 bar) in the main air chambers and 1.0 psi (0.07 bar) in the floor chamber.

Water temperature and weather affect the air pressure in the boat. In cold weather your kayak will lose some pressure because the air will contract. If this occurs, you may want to add more air to improve your boat's performance. In hot weather, the air will expand. You must let out some air to prevent the boat from failing from over pressure. Avoid exposing your kayak to extreme temperatures (hot or cold).

## CAUTION

On warm sunny days, keep the kayak either in water or in shade (if kept inflated on land). This will avoid expanding chambers due to rise in temperature which can result in seam tears, delamination, popped I-Beams and pinholes. Also keep in mind to avoid asphalt, sand, pebbles or concrete in direct sunlight as they radiate high ground heat.

Check for proper inflation often. Use your thumb to press on the port (left) and starboard (right) air chambers. You should be able to press down 3/4 in. (19 mm). The chamber should feel firm without too much resistance.

If you have difficulty achieving 3/4 in. (19 mm), the chamber could be over inflated.

If you are easily able to press further than 3/4 in. (19 mm), the chamber could be under inflated.

Before paddling, be sure all the kayak's air chambers are properly inflated.



DO NOT overload your kayak which exceeds the rating on the capacity plate. Overloading a kayak can result in loss of control and an unsafe kayak. If your kayak has no capacity plate, contact the selling dealer or the manufacturer.

## 6. UNDERWAY

In all your uses of STEARNS<sup>®</sup> Inflatable Kayaks, make SAFETY a high priority. Each person should wear an approved personal flotation device. Learn about your boating area. Get official information about the local conditions, tides and currents before kayaking there. Be careful that you do not overestimate your strength, endurance or skill. Be careful never to underestimate the forces of nature.

### 6.1 Before You Start

Be smart when kayaking and using your equipment.

- Properly inflate your kayak. Do not under or over inflate. Outside temperatures of air and water will drastically change the volume inside chambers. Chambers may need to be adjusted (inflated or deflated) for optimum performance and safety.
- Know the conditions of the environment.
- Tell someone of your travel plans. Check local weather reports before casting off; do not leave the dock area when strong winds and electrical storms are in the area or predicted to be in the area.
- Secure or store loose items before getting underway.

### 6.2 Transporting, Carrying and Towing

Your kayak should always be transported dry and in its transporting (carrying) bag. Dry and clean as much as possible before placing boat in carrying bag. Once you have reached your destination, or before long periods of non-use, inflate the kayak and allow it to air dry before storing.

Use care when transporting or storing to avoid sharp points or edges; they will damage your kayak. Use the carrying handles to lift your kayak. Never pull or lift it by the sides or attach any other device to lift or carry it.

# A WARNING

Do not exceed the maximum recommended load. The total weight of all persons, gear and fluid capacities must never exceed the maximum load.

### 6.3 Care and Maintenance

The STEARNS<sup>®</sup> inflatable kayak is made of very durable materials. However, like anything else, proper care will increase the life of your kayak. Before storing your kayak, make sure it is clean and completely dry before you store it in its carrying bag. It should be deflated and kept out of direct sunlight when stored. Avoid exposure to extreme temperatures (hot or cold). If your kayak is exposed to freezing temperatures while storing, allow it to warm before unfolding. If a zipper is stuck or sticking, do not force it. Use liquid soap and a toothbrush to lubricate the zipper open. Rinse completely.


#### Never unzip the chamber covers when the kayak is inflated.

Be sure to rinse your kayak with fresh water after every use in salt water and allow it to dry thoroughly before storing.

To store your boat:

- 1. Wash your kayak using a mild soap or detergent. Never use strong solvents to clean your kayak. Rinse it off with fresh water and allow it to dry thoroughly before storing.
- Deflate the kayak. Make sure the valves are open so air can flow freely. Dry and clean as much as possible before placing kayak in carrying bag.
- 3. Fix any punctures before storing your kayak in the carrying bag.

#### 6.4 FOLDING



3. Fold over one more time at center of kayak

## 7. REPAIRS

The STEARNS<sup>®</sup> Yukatat comes equipped with a repair kit that includes adhesive and several patches. This can be found in the mesh pocket and should remain with the boat. Making repairs to the inner tube of the boat may require unzipping the cover and temporarily removing the tube. Always make sure the boat is fully deflated before unzipping the cover. If there is difficulty opening the zipper, refer to the section "**Care and Maintenance.**" When the repair has been completed, be sure the tube is aligned properly in the boat cover and the zipper is completely closed and appropriately locked.




Figure 9

### 7.1 Repairing Small Punctures and Cuts

- 1. Cut a patch which is round or with round corners, at least 1/2 in. (12.7 mm) larger than the hole or cut.
- 2. Use water and/or mild soap to clean the area where the patch will be placed.
- 3. Make sure all surfaces are dry.
- 4. Spread a thin layer of glue on both the patch and on the damaged area and let it sit for three to five minutes or until tacky.
- 5. Press the patch onto the boat, making sure that no air bubbles form.
- 6. Apply pressure to the patch by placing weight on it. Do not peel back to see if adhesive is holding.
- 7. Do not inflate the boat for at least twelve hours.

## 7.2 Repairing Pinholes

- 1. Inflate the kayak. Locate the pinhole by sponging soapy water over the tube until you see air bubbles.
- 2. Deflate the kayak. Clean the area around the pinhole and apply a drop of adhesive to the hole once the area is completely dry. A patch may not be necessary.

## 7.3 Seam Openings

Seam openings are difficult to repair but can be done with certain seam repair adhesives. Contact STEARNS<sup>®</sup> for more information or ask your local marine shop.

## 8. TROUBLESHOOTING

This chart will help you find and correct minor problems with your kayak.

| Problem                     | Solution  |
|-----------------------------|---|
| Slow leak.                  | Check valve gaskets and make sure the cap tether is not interfering with the seal. The valve gaskets must be closed tightly.  |
| Still leaks slowly.         | Check for pinholes. Read section<br>"Repairing Pinholes."   |
| Air valves don't align.     | Let air out of both chambers to allow you to<br>shift the inner tube to match up with the<br>valve holes in the cover.  |
| Doesn't inflate completely. | Make sure that the tube is aligned.   |
| The zipper is stuck.        | Read " <b>Care and Maintenance</b> " section (6.3) regarding zippers.   |
| Difficulty draining water.  | Wipe off excess water with a high absorbing<br>sponge or towel. The kayak dries much<br>quicker inflated, and in a well ventilated<br>area. Do not expose in direct sunlight to dry.<br>Deflate kayak and briefly hang it from the<br>molded handles with seat removed and<br>seating compartment exposed. To avoid<br>mold, do not pack or fold while kayak is<br>damp or wet. |

## 9. LIMITED WARRANTY

STEARNS<sup>®</sup> warrants this product to be free from defects in material or workmanship for a period of one year from the date of purchase. Products that prove to be defective under conditions of normal and proper use during the warranty period because of defective workmanship or faulty material will be replaced or repaired without charge. For warranty service, return product to place of purchase.

STEARNS<sup>®</sup> shall inspect all warranty claims and in the event of a defect, repair or replace the defective part or entire item, at its option.

This warranty does NOT cover:

Products used for rental, for hire or in professionally guided tours and other uses not considered normal recreational purposes; punctures, cuts and abrasions sustained in normal use; items involved in accidents; items damaged in whitewater mishaps, and other unreasonable uses or improper storage.

STEARNS<sup>®</sup> shall within (30) days from receipt of an authorized return from purchaser, perform its responsibilities in conformance with this warranty.

THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION OF THE FACE HEREOF. STEARNS SHALL NOT BE HELD LIABLE FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES.

THIS WARRANTY IS INCLUSIVE IN LIEU OF ALL OTHER WARRANTIES.

This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

> Stearns® 1100 Stearns Drive Sauk Rapids, MN 56379 USA 320-252-1642 www.stearnsinc.com

## STEARNS® WARRANTY REGISTRATION (PLEASE TYPE OR PRINT CLEARLY)

Please complete and mail this card to Stearns within 10 days. It will register your product in case you ever lose your proof of purchase information.

| Owner's Name         |                             |               |                   |
|----------------------|-----------------------------|---------------|-------------------|
| Address              |                             |               |                   |
| City                 | State                       | Zip           | Country           |
| Model # D Yukatat    | ™ (B523)                    |               |                   |
| H.I.N. #             |                             |               |                   |
| Purchase Date        |                             |               |                   |
| Dealer's Name        |                             |               |                   |
| Address              |                             |               |                   |
| City                 | State                       | Zip           | Country           |
| Thank you for resp   | onding to the f             | ollowing:     |                   |
| 1. How did you first | learn of this proc          | luct?         |                   |
| Dealer               | Friend                      | Magaz         | ine Radio         |
| TV                   | Catalog                     | Interne       | et Other          |
| 2. What most influer | nced your decisio           | on to purchas | e this product?   |
| Price                | Features                    | Ste           | earns' reputation |
| Quality              | Other                       |               |                   |
| 3. Do you own other  | Stearns product             | s?            |                   |
| Yes                  | No                          |               |                   |
| lf yes,              |                             |               |                   |
| Watersports          | Products                    |               |                   |
| Stearns Out          | doors <sup>®</sup> Products |               |                   |
| Mad Dog Ge           | ear® Products               |               |                   |

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

# BUSINESS REPLY MAIL FIRST CLASS PERMIT NO. 558 ST. CLOUD, MINNESOTA

POSTAGE WILL BE PAID BY ADDRESSEE

STEARNS INC PO BOX 1498 ST. CLOUD, MN 56302-9743

hhiallaalhaadhlaadhlahahahalhaall